


# Historical Affairs and Landmark Review Board

Arlington County, Virginia

HALRB Case 17-21 (HP1700038)



A request by Aruna Viswanatha, owner of 2332 N. Fillmore Street in the Maywood Historic District, to replace two basement windows on the front of the house.

**ARLINGTON COUNTY, VIRGINIA  
HISTORICAL AFFAIRS AND LANDMARK REVIEW BOARD  
APPLICATION FOR CERTIFICATE OF APPROPRIATENESS**

DATE 8/23/2017

Z- _____ - _____ -HD _____ RPC# _____ (TO BE COMPLETED BY STAFF)
---

**DESIGNATED PROPERTY:**

Name of Historic District \_\_\_\_\_

Address of Building 2332 N. Fillmore St. Arlington, VA 22207

**OWNER:**

Name Aruna Viswanatha

Address (if different) Same

Phone (Home) 202-591-6952 (Work) \_\_\_\_\_

EMAIL: aruna.viswanatha@gmail.com

**PERSON FILING APPLICATION, IF OTHER THAN OWNER:**

Name Tim Riley

Address P.O. Box 341262 Memphis, TN 38184

Phone (Home) tim@tngbuildingpermits.com (Work) 901-471-1043

Relationship to Applicant Agent

**PROJECT ARCHITECT/ENGINEERS/CONTRACTORS:** Home Depot, USA

**PURPOSE OF APPLICATION:**

<input checked="" type="checkbox"/> Repair (change of materials)	<input type="checkbox"/> Alteration	<input type="checkbox"/> Addition	<input type="checkbox"/> Fence
<input type="checkbox"/> Demolition	<input type="checkbox"/> New construction	<input type="checkbox"/> Relocation	<input type="checkbox"/> Outbuildings
<input type="checkbox"/> Tree Removal	<input type="checkbox"/> Grading	<input type="checkbox"/> Sign	<input type="checkbox"/> Other

Will an application related to this property go before any of the following?  Board of Zoning Appeals  
 Planning Commission  County Board  Other (please specify) \_\_\_\_\_

Does the proposed work require a building permit?  YES  NO

Is any demolition anticipated?  YES  NO If yes, please describe \_\_\_\_\_

**OVERVIEW OF PROPOSED WORK (ATTACH ADDITIONAL SHEETS IF NECESSARY):**

Description: Install two Andersen 400 Woodwright windows for basement. The two windows are on the bottom floor, on the front of the house.

LETTER OF TRANSMITTAL

Historical Affairs & Landmark Review Board  
c/o Historic Preservation Program  
2100 Clarendon Boulevard, Suite 700  
Arlington, VA 22201

Dear Review Board Members:

Enclosed is an application for a Certificate of Appropriateness and the following attachments:

Drawing(s) – Indicate scale on each drawing.

Site Plan / Plat	_____
Elevation	_____
Floor Plan	_____
Section	_____
Detail	_____

Photograph(s) – Please indicate number of photographs.

Color 2 Black/White \_\_\_\_\_

Material Samples/Manufacturer’s Catalog Cuts – Please describe all material exhibits.

Andersen 400 Series Woodwright windows.

**YOUR SIGNATURE BELOW CONFIRMS YOUR CONSENT TO THE FOLLOWING:**

1. I understand that these materials will be placed in the Historic Preservation Program’s building file for information about my property following the public hearing.
2. I understand it is my responsibility to inform my adjacent neighbors of my building and construction plans for this project.
3. I hereby grant permission to the County’s Historic Preservation Code Inspector to enter my property during the application and construction phases of my project.
4. I hereby grant permission to the County’s Historic Preservation Code Inspector to take photographs of my property, including the existing conditions, during the construction phase, and after the project is completed.

(Signed)  
*Jim Riley*

Date 8/23/2017





### Simulated Double-Hung

Our 2 1/4-inch-wide grille can make a casement window look like a double-hung.

### Specified Equal Light\* Fractional

### Specified Equal Light\*

### Custom Patterns


Contact your Andersen supplier for your custom needs.

To see all of the standard patterns available for a specific window or door, refer to the detailed sections in this book for each product or contact your Andersen supplier.

## GRILLE CONFIGURATIONS

### Full Divided Light


For an authentic look, full divided light grilles are permanently applied to the interior and exterior of the window with a spacer between the glass.



Permanent Exterior  
Permanent Interior  
with Spacer

### Simulated Divided Light

Simulated divided light offers permanent grilles on the exterior and interior with no spacer between the glass. We also offer permanent exterior grilles with removable interior grilles in natural wood or prefinished white.




Permanent Exterior  
Permanent Interior



Permanent Exterior  
Removable Interior

### Convenient Cleaning Options





Removable interior grilles come off for easy cleaning. Andersen® Finelight™ grilles are installed between the glass panes and feature a contoured 1" or 3/4" profile.



Removable  
Interior Grille  
Finelight™  
Between Glass

### Grille Widths

(actual size shown)



\*Specify number of same-size rectangles across or

# CASEMENT & AWNING WINDOWS

## FEATURES

### Frame

**A** A seamless one-piece, rigid vinyl frame cover is secured to the exterior of the frame to protect the wood frame from moisture and maintain an attractive appearance while minimizing maintenance.

**B** The seamless rigid exterior vinyl cover extends 1 3/4" (35) around the perimeter of the unit. This creates a flange to help seal the unit to the structure.

**C** Wood frame members are treated with a water-repellent preservative for long-lasting\* protection and performance.

**D** Interior stops are unfinished pine. Low-maintenance prefinished White interiors are also available.

### Sash

**E** Rigid vinyl encases the entire sash — a vinyl weld protects each sash corner for superior weathertightness. It maintains an attractive appearance and minimizes maintenance.

**F** Wood core members provide excellent structural stability and energy efficiency.

**G** Flexible bulb weatherstripping or vinyl closed-cell foam weatherstripping is factory installed on the perimeter of the sash.

### Glass

**H** A glazing bead and silicone provide superior weathertightness and durability.

**I** High-performance glass options include:


- Low-E4® glass\*
- Low-E4® HeatLock™ glass
- Low-E4® Sun glass
- Low-E4® SmartSun™ glass
- Low-E4® SmartSun™ HeatLock™ glass

Tempered glass and other glass options are available. Contact your Andersen supplier.

A removable translucent film helps shield the glass from damage during delivery and construction and simplifies finishing at the jobsite.

### Patterned Glass

Patterned glass options are available. See page 10 for more details.



### Hardware

#### Smooth Control Hardware System



The smooth control hardware system employs a worm gear drive for easy operation. Units with a split-arm operator move the sash away from the frame to provide easier glass

cleaning. CXW15, CXW155, CXW16 and CXW25 sizes are not available with split-arm hardware. Hardware option and finish must be specified. Operator handle and cover sold separately.



#### Single-Actuation Casement Lock

On casement windows, a single-actuation lock easily releases all locking points on casement sash while the reach-out action eliminates binding when closing. The lock handle is offered in finishes that coordinate with your specified hardware option.

#### Awning Sash Locks



Awning sash locks provide an added measure of security and weathertightness. Hardware style and finish options are compatible with Andersen® casement windows to ensure consistency in appearance when used in combination designs.


## StormWATCH

Casement and awning windows are available with Stormwatch® protection. For a copy of the Andersen® Coastal Product Guide go to [andersenwindows.com/coastal](http://andersenwindows.com/coastal) or contact your Andersen supplier.

### Performance Grade (PG) Upgrade

Performance upgrades are available for select casement and awning sizes, allowing these units to achieve higher performance ratings. Performance Grade (PG) Ratings replace Design Pressure (DP) Ratings for measuring product performance. For up-to-date performance information of individual products visit [andersenwindows.com](http://andersenwindows.com). Contact your Andersen supplier for availability.

## EXTERIOR




## INTERIOR



Naturally occurring variations in grain, color and texture of wood make each window one-of-a-kind. All wood interiors are unfinished unless prefinished White is specified.

## HARDWARE FINISHES



Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use.

## CASEMENT & AWNING HARDWARE OPTIONS\*\*

### CLASSIC SERIES\*



Stone | White

### ESTATE\*



Antique Brass | Bright Brass  
Brushed Chrome | Distressed Bronze  
Distressed Nickel | Oil Rubbed Bronze  
Polished Chrome | Satin Nickel

### TRADITIONAL FOLDING



Antique Brass | Black | Bright Brass  
Distressed Bronze | Distressed Nickel  
Gold Dust | Oil Rubbed Bronze | Satin Nickel  
Stone | White

### CONTEMPORARY FOLDING



Black | Bright Brass  
Gold Dust | Oil Rubbed Bronze  
Satin Nickel | Stone | White

Folding handle avoids interference with window decorating treatments.  
*Bold name denotes finish show.*

\* Visit [andersenwindows.com/warranty](http://andersenwindows.com/warranty) or see your Andersen supplier for details on the 400 Series Limited Warranty.

\*\* Hardware sold separately.

Dimensions in parentheses are in millimeters.

Printing limitations prevent exact duplication of colors and finishes. See your Andersen supplier for actual color and finish samples.