

ARLINGTON COUNTY, VIRGINIA
HISTORICAL AFFAIRS AND LANDMARK REVIEW BOARD
APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

DATE 8/23/2017

Z-	-	-HD	RPC#
(TO BE COMPLETED BY STAFF)			

DESIGNATED PROPERTY:

Name of Historic District

Address of Building 2332 N. Fillmore St. Arlington, VA 22207

OWNER:

Name Aruna Viswanatha

Address (if different) Same

Phone (Home) 202-591-6952 (Work) _____

EMAIL: aruna.viswanatha@gmail.com

PERSON FILING APPLICATION, IF OTHER THAN OWNER:

Name Tim Riley

Address P.O. Box 341262 Memphis, TN 38184

Phone (Home) tim@tngbuildingpermits.com (Work) 901-471-1043

Relationship to Applicant Agent

PROJECT ARCHITECT/ENGINEERS/CONTRACTORS: Home Depot, USA

PURPOSE OF APPLICATION:

Repair (change of materials) ___ Alteration ___ Addition ___ Fence
___ Demolition ___ New construction ___ Relocation ___ Outbuildings
___ Tree Removal ___ Grading ___ Sign ___ Other

Will an application related to this property go before any of the following? ___ Board of Zoning Appeals
___ Planning Commission ___ County Board ___ Other (please specify) _____

Does the proposed work require a building permit? ___ YES ___ NO

Is any demolition anticipated? ___ YES NO If yes, please describe _____

OVERVIEW OF PROPOSED WORK (ATTACH ADDITIONAL SHEETS IF NECESSARY):

Description: ~~Install two Andersen 400 Woodwright windows for basement. The two windows are on the bottom floor, on the front of the house.~~

Install two W-4500 Wood Awning Windows. These windows are constructed of wood and have no vinyl, aluminum, PVC, or other cladding.

LETTER OF TRANSMITTAL

Historical Affairs & Landmark Review Board
c/o Historic Preservation Program
2100 Clarendon Boulevard, Suite 700
Arlington, VA 22201

Dear Review Board Members:

Enclosed is an application for a Certificate of Appropriateness and the following attachments:

Drawing(s) – Indicate scale on each drawing.

Site Plan / Plat _____
Elevation _____
Floor Plan _____
Section _____
Detail _____

Photograph(s) – Please indicate number of photographs.

Color 2 Black/White _____

Material Samples/Manufacturer’s Catalog Cuts – Please describe all material exhibits.

~~Andersen 400 Series Woodwright windows.~~

YOUR SIGNATURE BELOW CONFIRMS YOUR CONSENT TO THE FOLLOWING:

- 1. I understand that these materials will be placed in the Historic Preservation Program’s building file for information about my property following the public hearing.
- 2. I understand it is my responsibility to inform my adjacent neighbors of my building and construction plans for this project.
- 3. I hereby grant permission to the County’s Historic Preservation Code Inspector to enter my property during the application and construction phases of my project.
- 4. I hereby grant permission to the County’s Historic Preservation Code Inspector to take photographs of my property, including the existing conditions, during the construction phase, and after the project is completed.

(Signed)

Date 8/23/2017

2332 N Fillmore St

Arlington, Virginia



Google, Inc.



Street View - Oct 2016





TABLE OF CONTENTS

Product Information

General Information.....	2
Lite Cut Information.....	3
Vent Projections.....	4
Unit Sizing, Rough Opening & Masonry Openings.....	5

Options

Glazing.....	6
Divided Lite.....	7
Trim.....	8
Jamb Extender.....	9
Mullion.....	10

Sizing Details



Min-Max Sizing.....	11
---------------------	----

Section Details

Operator:	
Vertical Section.....	12
Horizontal Section.....	13
Stationary:	
Vertical Section.....	14
Horizontal Section.....	15




GENERAL INFORMATION



Dimensional Windows

W-4500 Wood Awning Windows may be specified as "dimensional", by adjusting the desired rough opening width or height in 1/4" increments from standard.






W-4500 Wood Awning Windows are available as operating, or stationary (non - venting). Operating mechanism includes corrosion resistant steel hinges and roto type operators for venting units. Sash locks are concealed unison type with an exposed locking lever and escutcheon plate. There are several interior hardware finish options. Refer to the hardware specifications for finish options.



The two wood awning windows will be two-light, simulated divided light, matching the existing muntin configuration.

Multiple Assemblies


W-4500 Wood Awning Windows may be mullied above, below, or beside other W-4500 Wood Awning Windows, or other wood window products. Factory assembled mulls are limited in height (100"), width (150"), and a total area (75 square feet).






LITE CUT INFORMATION


W-4500 Wood Awning Windows are available with removable grilles in 7/8", 1-1/8" and 1-3/8" widths, Airspace (between the panes) grilles, and Simulated Divided Lites. Standard lite cuts are rectangular.




Rectangular




Vertical




Prairie



Uneven



Diamond




Radius

Lite Cut Options

Special lite cut patterns can include a wide variety of straight line and radius patterns. The illustrations shown here represent just a few of the possibilities. Rectangular, horizontal, vertical and Prairie lite patterns are available in all standard size wood casement windows. Uneven, diamond, radius and Gothic lite cuts are available, subject to approval. Approvals are based on the ability to fulfill the design requirement while maintaining the construction integrity of the finished product.

Bar Alignment

Alignment of divided lite muntin bars from one window to the next is often required by fine architectural design. Wood grilles, Airspace grilles, and Simulated Divided Lites may be specified with muntin bars aligned.





DIVIDED LITE OPTIONS

